



# City of Nampa

STORMWATER PROGRAM – EROSION CONTROL  
WASTE WATER TP 340 W RAILROAD ST

NAMPA, IDAHO 83687

OFFICE (208) 468-4442  
FAX (208) 467-9194

## *Compliance Notice for Site Development and Erosion, Sediment & Fugitive Dust Control On Construction Sites and Right-of-Way Less Than One Acre*

<b>Building Permit #</b>		<b>PERMIT #</b>	
DATE OF APPLICATION:	PROPOSED START DATE:	PROPOSED END DATE:	
CONTRACTOR:	SUB-CONTRACTOR:		
RESPONSIBLE PERSON	RP CERTIFICATE # Exp. Date:	CELL/PHONE#	
FOREMAN / CONTRACTOR:	PHONE #	CELL #	
FOREMAN / CONTRACTOR FAX #:	FORMAN / CONTRACTOR ADDRESS:		
JOB SITE STREET ADDRESS		CROSS STREET	
OWNER:	SUBDIVISION NAME & #;-CITY PROJECT NAME #; NAME OF COMMERCIAL DEVELOPMENT		
DESCRIPTION OF WORK:	CONTRACTOR JOB #		
TRENCH WORK _____ FT	CONCRETE APPROACH ( C / G / SW ) _____ LF		
BORE ( LIST NUMBER OF IN-LINE BELL HOLES & FOOTAGE ) _____	CONCRETE APPROACH CONCRETE SURFACES _____ LF		
OBSTRUCTION / OVERHEAD WORK / MANHOLE ACCESS	CURB & GUTTER ONLY _____ LF		
ASPHALT SURFACES / APPROACH / STREET SURFACING _____ SY	SIDEWALK ONLY _____ LF		
ALLEY CLOSURE	CURB/GUTTER/SIDEWALK _____ LF		

\* The Certified Responsible Person (s) must possess a valid City of Boise Responsible Person Certification number. Responsible Person Training Class information is available upon request. The Responsible Person shall be on site during all construction or grading activity.

### CONDITIONS OF APPROVAL

This General Permit application must be submitted with a Specific Construction Site Discharge Plan with BMP details and signed by a plan designer. This General Permit application is for the construction, demolition, or site development of a project less than one acre in size. The approval of this permit does not relieve the applicant from complying with any and all Federal or State laws and regulations. In the event the applicant fails to provide adequate control under the provisions of this permit, the Public Works Department reserves the right to require additional control measures as necessary OR require the preparation and implementation of an erosion and sediment control plan.

### GRADING

At any location where sediment-laden run-off may exit the property, perimeter, controls will be installed to prevent sediment from being transported off-site. Any sediment transported off-site to roads or road rights-of-way including ditches shall be removed. Any damage to ditches shall be repaired and stabilized to original condition. Grading shall not impair surface drainage, create an erosion hazard or create a source of sediment to any adjacent watercourse or property owner.

### OPERATIONS

A temporary access road shall be provided at all sites. The applicant is responsible for preventing the tracking of mud or dirt upon the public right-of-ways, and the cleanup should tracking occur. Construction ramps shall not be placed in a manner as to interfere with or block the passage of stormwater runoff. No materials or supplies shall be placed on the public right-of-way



# City of Nampa

STORMWATER PROGRAM – EROSION CONTROL

OFFICE (208) 468-4442

WASTE WATER TP 340 W RAILROAD ST

NAMPA, IDAHO 83687

FAX (208) 467-9194

## *Erosion and Sediment Control Application for Construction Sites Less Than One Acre Continued*

(streets or sidewalks) unless permitted. Control measures shall be in place to prevent particulate matter from becoming airborne from any construction activity or operation. Stormwater inlet structures shall be protected from sediment during construction. Control measures shall be implemented for proper disposal of construction and building wastes; paint and other chemicals used during construction and site cleanup.

### STABILIZATION

Temporary stabilization of the construction site shall be completed to the surface of all disturbed areas within 10 days of clearing or inactivity in construction. When in-channel work is conducted, the channel shall be stabilized before, during and after work. Swales or other areas that transport concentrated flow will be stabilized with erosion control matting or sod.

### EXPIRATION OF PERMIT

Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within one hundred eighty (180) days after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of one hundred eighty (180) days after the work is commenced.

### OTHER CONDITIONS OF APPROVAL

I have read and agree to the terms and conditions of this Permit. I certify that I have the authority to obligate my company to these terms and conditions

Applicant's Name: \_\_\_\_\_

Applicant's Title: \_\_\_\_\_

Applicant's Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**Permit Fee:** \$75.00 + \$5.00 (base permit fee) = \$80.00